Coastal risks - assessment methodology based on the vulnerability index Application to case studies in Portugal

Professor Ana Oliveira





Coastal risks - assessment methodology based on the vulnerability index

Application to case studies in Portugal

Summary

- 1. Ocean
 - 1.1. Dimensions
 - 1.2. Importance
- 2. Coastal ocean
 - 2.1. Definition
 - 2.2. Risks
- 3. Portuguese coastal area
 - 3.1. Description
 - 3.2. Coastal vulnerability index




OCEANS

"How inappropriate to call this planet Earth when it is quite clearly Ocean!"


Arthur C. Clarke





Arthur C. Clarke (16/12/1917 – 19/03/2008)
British writer and inventor

OCEANS vs CONTINENTS




www.menti.com



code: 32 83 62 5







□ ~70% of the oxygen released into the atmosphere is produced by phytoplankton during photosynthesis




plays an extremely important role in regulating the life of the planet

- The ocean contains 97% of all the water on the planet
- Interactions between ocean and atmosphere regulate the world's climate

Distribution of heat on the globe through marine currents

Importance in the water cycle

Currents work as a climatic factor, thermal regulator of the globe, influencing air temperature and humidity/precipitation



... Economic level





- magnesium (used in metal alloys, especially with aluminum)
- bromine (used in the food, pharmaceutical and photographic industries)
- sodium chloride (table salt) (most important mineral)

Living resources



- 100 million tons/year of fish (main source of protein for 2000 million people)
- algae (used in the paper, photographic, food, pharmaceutical and wine industries)
- carapace of crustaceans (chitin is removed which is used in the treatment of burns and reconstruction of blood vessels)
- fish (compounds with applications in painting, lubricants and the rubber industry are removed)
- sponges (substances used in the manufacture of drugs to combat diseases such as cancer and AIDS are removed)


... Economic level

Energy source

- tidal power (converted into electrical energy)
- wave power (converted into electrical energy)
- cold water (cooling of thermal power plant turbines)







... Political level

Separate, divide and/or act as a border for continents and countries

- ✓ one of the most complex, diverse and productive ecosystems on Earth
- ✓ located between the mainland and the ocean
- ✓ functions simultaneously as a protection and filter between aquatic and terrestrial systems, enabling numerous biological, chemical, physical, geological, oceanographic and meteorological interactions


There is no consensus regarding the establishment of the physical limits of the coastal area, not only because these limits depend on the purpose and context in which they are established, but also because the physical and biophysical realities are very different in spatial terms





According to the National Strategy for the Sea (Portugal):

"Coastal zone is the portion of territory directly and indirectly influenced, in biophysical terms, by the sea (waves, tides, winds, biota or salinity) and which, without prejudice to adaptations to specific territories, has, on the landward side, the width of 2 km measured from the line of the maximum high tide of equinoctial waters and extends, towards the sea, to the limit of the territorial waters (12 nautical miles), including the seabed"



productive potential economically attractive and environmentally sensitive ☐ great socioeconomic value, since about 40% of the world's population lives within 100 km of the coastline ☐ is where most of the industries are located, due to the availability of water, the ease of transport (better roads, access to ports for the disposal of products and entry of raw materials) and the proximity of the largest economic centres ☐ is of strategic importance at an environmental, economic, cultural and recreational level

□ subject to numerous risks

☐ subject to great anthropogenic pressure



EXERCISEIDENTIFY THE RISKS

EXERCISE - example






For each image:

1) Identify the possible risks

www.menti.com

code: 1460 4044






NATURAL RISKS		Causes	Consequences
Sandy shores	Coastal erosion	WindTidesMarine agitation (waves)	 Coastline retreat Loss of territory and property Reduction in the protection provided by the dunes Damage to buildings and infrastructure
	Storm action	Meteorology	 Induce punctual coastal erosion (non-permanent) May induce permanent shoreline retreat in places with sedimentary faults Destruction and loss of property
	Ocean overtopping	WindTides / Storm surgeMarine agitation (waves)	 Simultaneously induces erosion and accumulation Important coastal changes in a short period Can cause flooding of important areas Can lead to the opening of tide bars
	Sea level rise	Global warmingSpecific actionsAnthropic actions	Increase/acceleration of coastal erosion Greater future possibility of coastal flooding Increased wave's destructive capacity
Rocky shores	Mass movements	 Marine agitation (waves) Precipitation Wind Temperature variations Earthquakes / Vibrations 	Goods destruction Habitat destruction Loss of life
Coastal flooding		Sea level rise Storm surge	


Anthropogenic Risks	Consequences	Protective measures	
Greenhouse effect	Increased frequency and intensity of thunderstormsSea level rise	Reduction of GHG emissions Climate change adaptation plans	
Excessive occupation and disorder of the territory	 Accelerated erosion and sea water advance, with consequent threat to human life and destruction of property Destruction of habitats and many migratory routes 	Construction of engineering works (spurs, walls, breakwaters, landfills) Artificial feeding on sediments from certain beaches	
Decrease in the amount of sediment	1) DAMS • Drastic decrease in the flow of sedimentary particles to the coast • Accumulation upstream and poor sedimentation downstream • Reservoirs end up being converted into aggregate deposition areas • Floods	Territorial planning Integrated coastal management	
reaching the coast	 2) EXTRACTION OF INERTS Changes in currents Reduction in the amount of sediment reaching the river mouth Decreased fertility of some fish species in river estuaries Irreversible changes in ecosystems 		
Des	Territorial planningIntegrated coastal management		

Personal accidents



Personal accidents













Personal accidents



- ✓ It has an extension of about 950 km
- ✓ Most of the big cities are there located (Porto, Aveiro, Lisbon, Setúbal, Faro)
- ✓ 75% of the Portuguese population lives there
- ✓ Generated about 85% of the GDP

Portugal has the largestExclusive Economic Zone in Europe



- > The risks to which the coastal area is subject increase their vulnerability
- ➤ The occupation of risk zones increased the vulnerability of populations to risks, which could cause serious disasters with irreparable losses

Coastal Vulnerability Index

- Coastal vulnerability is a spatial concept that identifies people and places that are susceptible to disturbances resulting from coastal hazards
- ➤ The Coastal Vulnerability Index (CVI) is one of the most commonly used and simple methods to assess coastal vulnerability to erosion, overtopping and/or coastal flooding
- > CVI can be an useful information for coastal disaster management and building resilient coastal communities
- > CVI is a common tool **contributing to the decision-making process** in long-term coastal planning and management, enabling coastal managers to **prioritize or concentrate efforts on adaptation**

Coastal Vulnerability Index

- CVI method is based on the physical and geological parameters and anthropogenic actions
- CVI was adapted to the Portuguese context
- The main areas of vulnerability will be identified by both CVI and the analysis of individual variables, also called coastal indicators, e.g.:
 - Geomorphology
 - Soil cover
 - Distance to shoreline
 - Tidal range
 - Wave height
 - Long-term shoreline erosion and accretion rates
 - Maritime agitation

Coastal Vulnerability Index

	Vulnerability	Vulnerability					
	parameters	Very Low	Low	Moderate	High	Very High	
	•	1	2	3	4	5	
Representative natural and anthropogenic characteristics of the coastal area	Geology	Magmatic rocks	Metamorphic rocks	Sedimentary rocks	Sedimentary rocks	Small unconsolidated sediments	
	Geomorphology	Mountains	Rocky cliffs	Erodible cliffs, sheltered beaches	Exposed beaches	Dunes, estuaries	
	Soil cover	Florest	Low vegetation, cultivated soil	Uncoated soil	Rural urbanization	Industrial urbanization	
	Anthropogenic actions	Maintenance interventions	Interventions without reduction in sedimentary sources	Interventions with reduction in sedimentary sources	No interventions and no reduction in sedimentary sources	Without interventions and with a reduction in sedimentary sources	
	Topographic Dimension (m)	≥ 30	20 – 30	10 – 20	5 – 10	≤ 5	
	Distance to shoreline (m)	≥ 1000	200 – 1000	50 – 200	20 – 50	≤ 20	
	Maximum tidal range (m)	≤ 1.0	1.0 – 2.0	2.0 – 4.0	4.0 – 6.0	≥ 6.0	
Characterization of the coastal area	Maximum wave height (m)	≤ 3.0	3.0 – 5.0	5.0 – 6.0	6.0 – 6.9	≥ 6.9	
	Average rate of erosion/accretion (m/year)	≥ ₀ Accretion	-1 - 0	-3 – -1	-5 – -3	≤ -5	
	Maritime agitation	-	-	South coast	Southwest Coast (south of Cape Espichel)	Northwest Coast (north of Cape Espichel)	

Coastal Vulnerability Index

CVI allows variables to be related in a quantifiable manner:

$$extit{CVI} = \sqrt{rac{a_1 + a_2 + \cdots + a_n}{n}}$$
 where a_i is the vulnerability (parameters)

This method yields numerical data that cannot be directly equated with particular physical effects

However, highlight regions where the various effects of erosion, overtopping and/or coastal flooding may be the greatest

Low vulnerability (1.00 ≤ CVI < 1.41)

Moderate vulnerability (1.41 ≤ CVI < 1.82)

High vulnerability $(1.82 \le CVI < 2.23)$



EXERCISEVULNERABILITY INDEX

EXERCISE - example

Praia do Norte, Nazaré, Portugal



Topographic Dimension (m)	15
Distance to shoreline (m)	174
Maximum tidal range (m)	4.1
Maximum wave height (m)	30
Average rate of erosion/accretion (m/year)	-2.2





Calculate CVI:

- 1) Google Maps (see the place)
- 2) Identify the geology, geomorphology and soil cover
- 3) Use the formula to calculate the CVI and classify the region

"God, to the sea the danger and the abyss gave."

But it was in him (ocean) that the sky was mirrored."

Fernando Pessoa



Fernando Pessoa (13/06/1888 – 30/11/1935) Portuguese writter

Setence from the poem "Portuguese Sea" of the book Message (1934)

QUESTIONS?

ISEC LISBOA – Instituto Superior de Educação e Ciências www.iseclisboa.pt

Professor Ana Oliveira <u>ana.oliveira@iseclisboa.pt</u>



