


The DRMKC Risk Data Hub

Disaster Risk Management Training online series 2022 05 October 2022

> Dr. Andrea Salvi (JRC.E1) Dr. Tiberiu Antofie (JRC.E1)

RDH – The vision





RDH Modules

Modular – and yet complementary – structure:

- to serve different ends
- to support different stakeholders.

Risk Data Hub is a GIS web platform of European wide risk data and methodologies for **Disaster Risk Assessment.**





Impacts from past events in Map Viewer





Facts and Figures - Coming soon!

Cross-hazard comparative view of both past and future impacts

Results of DRM related projects: PESETA IV



Documentation and methodological notes on the DRMKC RDH



User Corner

Restricted area dedicated to authorized user for managing their own data



RDH Modules

4

To reflect the different needs of users, the platform is composed of six main modules:

- The Risk analysis data portal: an application to improve the access to and sharing of curated European-wide risk data;
- The Disaster Loss data portal: a collection of European wide historical loss and damage data from open sources;
- DRM data from other projects: this module hosts outcomes from various DRM projects (E.g. Horizon 2020, FP7 etc.) which are supporting DRM related actions.
- Learning Space: a learning and training section aims at illustrating how to use the platform and its tools.
- The User Corner panel: addressed to national authorities. It serves as a solution for accessing, storing and managing disaster risk data. Access to data is restricted so that each user has its own private workspace.
- Facts and Figures (Coming soon!): allow users to generate ad-hoc reports on specific areas, hazards and/or assets making use of RDH data at different level of aggregation. It also offers regular interactive reports on DRM related topics.




General Concepts

- The visualization and analysis of RDH data rest upon a fundamental combination constituted by:
 - (i) one or more hazard/s onto
 - (ii) one or more assets

Users are also able to select specific spatial aggregation and temporal time-frames to estimate risk and its components and to visualize past losses and damage.

- All metrics are displayed as a normalized indicator from 0 (min) to 10 (max).
- We support: three levels of spatial aggregation (GISCO admin boundaries):
 - Country,
 - NUTS-2 (Region)
 - NUTS-3 (Province)
 - LAU (Local Administrative Units)
- The different time intervals are: 1, 2, 5, 10, 15, 25 years.




NUTS-2

NUTS-3

European Commission


- Disaster risk assessment is set on *identifying the geographically* located *causal factors* of disasters
- The spatial extent of hazardous events' metrics, such as severities, frequencies or intensities is intersected (overlapped) with assets layers.
- The presence of the assets in the 'footprint' of the hazard is considered exposure
- We further aggregate the exposure within administrative units using the European administrative boundaries (Eurostat/GISCO)
- The quantified presence of exposure to hazards is aggregated at different administrative levels: Country, regions (NUTS2), provinces (NUTS3) and LAU (Local Administrative Units) level.
- In a nutshell: in RDH is defined as a matrix of an amount and a probability expressed on the spatial relation (overlapping) between the Asset and the Hazard (potentially damaging physical event, phenomenon or human activity)



Graphic representation of the quantification of exposed assets (Adapted: C. van Westen, 2012).




- Available Exposure Layers
- Population (GHSL): GHS_POP_SOURCE_EUROPE_R2016A_3035_100_v1_0
- Population (rural, urban, city centers)
- Buildings (ESM): ESM2016_100m (city-centers, urban, rural)
- Building's typology (CORINE residential, commercial/industrial) and on degree of urbanization (GHSL rural, urban, city centers)
- Critical services (JRC-HARCI): Harmonized infrastructure layers 1km
- Electricity line
- Roads, Railways
- Education facilities
- Gas pipelines
- Environmental
- World Database on Protected Areas (WDPA)
- CORINE land cover (agriculture, forest, pasture, arable land, permanent crops)
- World heritage sites



Graphic representation of the quantification of exposed assets (Adapted: C. van Westen, 2012).



Available Exposure Layers



Aggregated assets (sum of datasets)



180

• Available Hazards

Component	Probability	Description	Data source
River flood	T = (10,50, 100, 200, 500)	Areal extent/intensities of the river flood (m)	EFAS
Landslide	T = (2, 5, 10, 20, 50, 100, 200, 500)	ELSUS_v2 - (200 m) and GPCC - (5km resolution) - with the return periods T = (2, 5, 10, 20, 50, 100, 200, 500).	ESDAC, GPCC
Coastal inundation	T = (10,50, 100, 200, 500)	Areal extent/intensities of coastal inundation as extreme total water level (TWL) result of the contributions from the mean sea level (MSL), the tide and the combined effect of waves and storm surge.	Vousdoukas, et al., 2016
Earthquake	T = (250,475, 975, 1500)	Areal extent of PGA >= 0.18 (g) , equivalent of 'Moderate', 'Moderate to heavy' 'Heavy", ''Very heavy' potential damage level of USG Intensity Scale	GAR
Subsidence	Soils with clay content greater than 35%.	Areal Extent of fine and very fine soil texture (particle < 2 mm size) and with clay content greater than 35%.	I ESDAC, IPL projec
Forest fire	Wildland–Urban Interface area (WUI)	WUI areas within 10 km limit range from the historical burned areas (2000-2016)	CORINE/EFFIS based

> EFAS (European Flood Awareness System): https://data.jrc.ec.europa.eu/dataset/1d128b6c-a4ee-4858-9e34-6210707f3c81

- > ESDAC: ELSUS_v2: https://esdac.jrc.ec.europa.eu/content/european-landslide-susceptibility-map-elsus-v2.
- GPCC: <u>https://climatedataguide.ucar.edu/climate-data/gpcc-global-precipitation-climatology-centre</u>.
- Vousdoukas, M. I., Voukouvalas, E., Mentaschi, L., Dottori, F., Giardino, A., Bouziotas, D., Bianchi, A., Salamon, P., and Feyen, L.: Developments in large-scale coastal flood hazard mapping, Nat. Hazards Earth Syst. Sci., 16, 1841-1853, https://doi.org/10.5194/nhess-16-1841-2016, 2016
- GAR: <u>https://risk.preventionweb.net/</u>

EFFIS: https://effis.jrc.ec.europa.eu/



• Available Hazards

Natural Hazard	
Categories	Subcategories
Geophysical	Earthquake*
	Landslide*
	Volcano**
	Tsunami
Hydrological	River Flood*
	Coastal flood*
	Avalanche
	Flash flood**
Meteorological	Cold wave**
	Heat wave**
	Hail
	Lightning
	Windstorm**
	Extreme weather (hot days, cold days, tropical
	nights, torrential rain)
Climatological	Drought**
	Wildfire*
	Subsidence*
Biological	Epidemics / Pandemics
	Insect infestation
	Animal and plant diseases

Categories	Subcategories
Technological hazard	Marine pollution**
	Air pollution
	Waste disposal
	Industrial accidents
	Nuclear**
	Structural collapse
	Power outage**
	Hazardous materials
	Transportation
Malicious	Crime
	Civil Disturbance
	Terrorism
	Cybercrime
	Road accidents
Transportation	Railway accidents
	Railway accidents

- > EFAS (European Flood Awareness System): https://data.jrc.ec.europa.eu/dataset/1d128b6c-a4ee-4858-9e34-6210707f3c81
- ESDAC: ELSUS_v2: https://esdac.jrc.ec.europa.eu/content/european-landslide-susceptibility-map-elsus-v2.
- > GPCC: <u>https://climatedataguide.ucar.edu/climate-data/gpcc-global-precipitation-climatology-centre</u>.
- Vousdoukas, M. I., Voukouvalas, E., Mentaschi, L., Dottori, F., Giardino, A., Bouziotas, D., Bianchi, A., Salamon, P., and Feyen, L.: Developments in large-scale coastal flood hazard mapping, Nat. Hazards Earth Syst. Sci., 16, 1841-1853, https://doi.org/10.5194/nhess-16-1841-2016, 2016
- GAR: <u>https://risk.preventionweb.net/</u>
- EFFIS: https://effis.jrc.ec.europa.eu/



• How it works


1. Hazard layer

2. Asset_hazard overlay

3. Asset masked

4. Asset layer type





Landslide (susceptibility) 200m > Analysis performed on:

- various probabilistic hazard layers (e.g. Return periods 10, 50, 100, 200, 500)
- As areal extent and hazard intensities (e.g. <1m, 2m, 4m, 6m)
- Aggregations on LAU, NUTS2, NUTS3, Country level but also on urbanization levels (City centers, Urban, Rural)



• Multihazard


- > On the RDH is possible for the selections of
- multiple assets paired with one hazard (many to one),
- single asset paired with multiple hazards (one to many)
- multiple assets paired with multiple-hazards (many to many, if assets belong to the same macrocategory).

Applied within assets categories selections of both hazards and assets.

	А	В	С	D	E
1	ADMIN_code	UM	Years	Exposure	Exc_probabilit
2	AT11	km2	2	0.162543	0.19
3	AT12	km2	5	0.367616	0.40951
4	AT13	km2	10	0.630698	0.65132156
5	AT14	km2	15	0.824689	0.794108868
6	AT11	km2	25	1.090134	0.928210201
7					
0					

2. Single hazard hotspot

 \circ as z-score (standard deviations), p-value (probability)




3. Hotspots combined

1. Exposure

• **Combining z-score from independent tests (**Stouffer method):

$$Z_{\rm S} = \frac{\sum_{i=1}^{k} Z_i}{\sqrt{k}}$$




4. Normalisation





• Disaster risk assessment is set on *identifying the geographically* located *causal factors* of disasters

- Particularly relevant for location-sensitive hazards (e.g. floods)
- How to go about for hazards that are less dependent about exposure?
- Attribute of exposure: Vulnerability



Graphic representation of the quantification of exposed assets (Adapted: C. van Westen, 2012).



Multi-hazard Vulnerability Composite Indicator

Hazard Independent Index

- Focuses on four dimensions:
 - Social
 - Economic
 - Political
 - Enviromental
- Systemic features of an area/community

- Based on:
 - the relation between the metric of the hazard and the characteristic of exposure
 - Other metrics such as past events




<u>Hazard dependent component</u>: it is the physical dimension, it is asset-specific and can be defined through three main sub-components that are *structural*, *exposure-based* and *hazard-based*.

Hazard independent component: based on socio-economic, political and environmental factors, it describes the vulnerability of the communities independently from their exposure to different kinds of hazards.



Multi-dimensional




Vulnerability is influenced by different components and their interlinkages:

- **Social:** condition and processes of individuals and the entire population.
- Economic: resources of individuals, the population and the government.
- **Political:** quality of government and their actions.
- Environmental: status of the ecosystems and their ecological aspects.



Multi-dimensional



Additionally, below the four main dimensions there are seven sub-dimensions:

- Access;
- Population;
- Dependency & Health;
- Financial Resources;

- Inequality;
- Government & Political Situation;
- Environmental.

Each sub-dimension provides a better description of the dimension to which it is related, by linking it to the indicators.



Multi-dimensional: Dimensions & Sub-dimensions


Dimensions and sub-dimensions are represented by a set of indicators for each level (based also on the data availability). Indicators are representative for a specific level and are chosen based on the literature review.

Dimension	Sub-dimension	Country Level Indicator	NUTS2 Level Indicator	NUTS3 level Indicator
	Population	Projected population change	-	Population density Net migration
	Population / Access (Social Participation)	Children at-risk-of-poverty	Participation in Social Networks	-
	Population / Access (Social Participation)	Disabled people with need for assistance	Information (Frequency of internet access: once a week (including every day))	-
Social	Population / Access (Social Participation)	Long-term care (health) expenditure	People at risk of poverty or social exclusion	-
	Dependency	Change in Age-dependency	-	Young dependency Old dependency
	Health	Self-reported unmet need for medical care Perceived Good Health	Life expectancy Hospital beds per 100'000 population	-
	Population (Education)	-	Primary and lower secondary education (levels 1 and 2) People with tertiary education (levels 5-8)	-



Multi-level






Vulnerability is tailored into levels for the integration into the RDH and is examined on three different levels: Country, NUTS2 & NUTS3.

Vulnerability is measured through a multilevel up and down aggregation. This is performed by aggregating each single level first, and then by gradually aggregating the levels together.



Multi-level, key concept: vulnerability of a country reflects the overall vulnerability of the communities; however local variations can affect the "global score". In the same way, the local vulnerability should not ignore the global background to which it belongs.





The vulnerability index is composed of 43 indicators.

No. of indicators by data source:

- EUROSTAT: 34
- World Bank: 1
- UNESCO: 1
- Worldwide Governance Indicators: 2
- European Environment Agency: 1
- University of Gothenburg: 1
- World Resources Institute: 1
- Copernicus: 1

No. of indicators by geographic level:

- Country: 19
- NUTS2: 15
- NUTS3: 9

Note: the current implementation of the vulnerability on the RDH involves a set of 22 indicators overall, but there is an ongoing review to expand this set and improve the framework.



Vulnerability: selected indicators (Country)

Scale	Dimension	Sub-dimension	Hazard-independent Indicator	Туре	Vulnerability	Data Provider	Implemented
Country	Social	Population	Projected population change	Sensitivity	(+)	Eurostat	\checkmark
Country	Social	Population (Social Participation)	Children at-risk-of-poverty	Sensitivity	(+)	Eurostat	\checkmark
Country	Social	Population (Social Participation)	Disabled people with need for assistance	Sensitivity	(+)	Eurostat	\checkmark
Country	Social	Population (Social Participation)	Long-term care (health) expenditure	Adapt. Capacity	(-)	Eurostat	\checkmark
Country	Social	Dependency	Change in Age-dependency	Sensitivity	(+)	Eurostat	\checkmark
Country	Social	Health	Self-reported unmet need for medical care	Sensitivity	(+)	Eurostat	\checkmark
Country	Social	Health	Perceived Good Health	Sensitivity	(-)	Eurostat	\checkmark
Country	Economic	Financial resources	Gross National Saving	Adapt. Capacity	(-)	WBG	\checkmark
Country	Economic	Financial resources	GDP per capita	Adapt. Capacity	(-)	Eurostat	\checkmark
Country	Economic	Inequality	Income Inequality	Sensitivity	(+)	Eurostat	\checkmark
Country	Economic	Environmental	Cultural heritage	Sensitivity	(+)	Unesco	\checkmark
Country	Political	Government	Governmental efficiency	Adapt. Capacity	(-)	WGI	\checkmark
Country	Political	Political situation	Political Stability	Sensitivity	(-)	WGI	\checkmark
Country	Political	Government (Strategy)	National Adaptation Strategies	Adapt. Capacity	(-)	ClimateAdapt	\checkmark
Country	Environment	Environmental / Government	Environmental protection expenditure	Adapt. Capacity	(-)	Eurostat	
Country	Environment	Environmental / Government	Climate related economic losses	Adapt. Capacity	(+)	Eurostat / EAA	
Country	Environment	Environmental / Government	Production, value added and exports in the environmental goods and services sector	Adapt. Capacity	(-)	Eurostat	
Country	Environment	Environmental	Common farmland bird index	Sensitivity	(-)	Eurostat	
Country	Environment	Environmental	Natura 2000 protected areas	Sensitivity	(-)	Eurostat	\checkmark



Vulnerability: selected indicators (NUTS2)

Scale	Dimension	Sub-dimension	Hazard-independent Indicator	Туре	Vulnerability	Data Provider	Implemented
NUTS2	Social	Health	Life expectancy	Sensitivity	(-)	Eurostat	\checkmark
NUTS2	Social	Health / Access	Hospital beds per 100'000 population	Adapt. Capacity	(-)	Eurostat	\checkmark
NUTS2	Social	Access (Social Participation)	Participation in Social Networks	Adapt. Capacity	(-)	Eurostat	\checkmark
NUTS2	Social	Access (Social Participation)	Information (Frequency of internet access: once a week (including every day))	Adapt. Capacity	(-)	Eurostat	\checkmark
NUTS2	Social	Access (Social Participation)	People at risk of poverty or social exclusion	Sensitivity	(+)	Eurostat	\checkmark
NUTS2	Social	Population (Education)	Primary and lower secondary education (levels 1 and 2)	Sensitivity	(+)	Eurostat	
NUTS2	Social	Population (Education)	People with tertiary education (levels 5-8)	Adapt. Capacity	(-)	Eurostat	\checkmark
NUTS2	Economic	Financial resources	Severe material deprivation rate	Sensitivity	(+)	Eurostat	\checkmark
NUTS2	Economic	Financial resources	Household income	Adapt. Capacity	(-)	Eurostat	\checkmark
NUTS2	Economic	Access	Motorways	Adapt. Capacity	(-)	Eurostat	\checkmark
NUTS2	Economic	Access	Railways	Adapt. Capacity	(-)	Eurostat	
NUTS2	Economic	Inequality (Employment)	Employment rate	Adapt. Capacity	(-)	Eurostat	\checkmark
NUTS2	Political	Government	Regional Quality of Government index	Sensitivity	(-)	QoG	~
NUTS2	Environment	Environmental	Urban area classified as green space	Sensitivity	(-)	CORINE	
NUTS2	Environment	Environmental	Urban land cover	Sensitivity	(+)	CORINE	




Vulnerability: selected indicators (NUTS3)

Scale	Dimension	Sub-dimension	Hazard-independent Indicator	Туре	Vulnerability	Data Provider	Implemented
NUTS3	Social	Population	Population density	Sensitivity	(+)	Eurostat	\checkmark
NUTS3	Social	Population	Net migration	Sensitivity	(+)	Eurostat	\checkmark
NUTS3	Social	Dependency	Young dependency	Sensitivity	(+)	Eurostat	\checkmark
NUTS3	Social	Dependency	Old dependency	Sensitivity	(+)	Eurostat	\checkmark
NUTS3	Economic	Financial resources	NUTS3 GDP per capita vs country average	Adapt. Capacity	(-)	Eurostat	
NUTS3	Economic	Financial resources	Gross Value Added (at basic prices)	Adapt. Capacity	(-)	Eurostat	
NUTS3	Economic	Access	Power plants per 100'000 inhabitants	Adapt. Capacity	(-)	WRI	
NUTS3	Economic	Access	Patent applications to the EPO	Adapt. Capacity	(-)	Eurostat	
NUTS3	Environment	Environmental	Soil erosion	Sensitivity	(+)	Eurostat	



Vulnerability: Indicator and weights



Within this vulnerability framework all the dimensions have the same weight at each level and all the indicators within a dimension have equal weights.

	Country	NUTS2	NUTS3	
Social	1/4	1/4	¹ / ₃	27.8 %
Economic	1/4	1/4	¹ / ₃	27.8 %
Political	1/4	1/4		16 . 7 %
Environmental	1/4	1/4	¹ / ₃	27.8 %
	1	1	1	



Vulnerability: what's coming?


Overall vulnerability trend across Europe

Looking at the evolution of the vulnerability over time between 2005 and 2035, we observe a slight increase of the index highlighted by the map here displayed.

This map shows the relative vulnerability of the countries divided into five classes (from "Very Low" to "Very High") across the time frame analyzed with periods of five years. Classes are defined based on the top and the bottom values of vulnerability recorded within the whole period of time.

The animation clearly points out how countries turn to darker shades as time passes. By 2035 none of the countries are in the lower class and about 2/3 of them fall in the upper classes.





	2005	2020	2035
Min Value	2.97	3.28	3.66
Max Value	5.96	5.84	5.87
Mean Index	4.48	4.47	4.49
Max - Min	2.99	2.56	2.21
% Difference of Min Value (from 2005)	-	10.24	23.06
% Difference of Max Value (from 2005)	-	-2.10	-1.59




Risk Analysis Module in practice!


DRMKC > Risk Data Hub

Risk Analysis

Where could we have higher impacts due to future events? What could be lost? Which are the risk drivers? Which vulnerabilities might have a bigger incidence on the potential future losses?



Risk Analysis Module in practice!





Risk Analysis Module in practice!

	Hazards	
1 Asset Selected	✓ 21 Hazards Selected	FIND DATA
🗌 Industrial	DATA NOT YET AVAILABLE	
Residential	Structural collapse	
Critical services	☑ Biological	f gra rimana
	Air pollution	
Asse Haza By click	displayed: ets: Residential ards: Earthquake, Landslide, Coastal flood, River king this icon or scrolling the page you ca s and statistics.	and and a second
graphs		Close 🙁
graphs		and for the



There are two main approaches defining risk:

Probabilistic Approach:

- Risk is defined as the likelihood (i.e., probability) of sustaining a certain level of loss during a given time period.
- Risk = Probability of an event occurring * impact of the event
- Deterministic Approach:
 - The geographical distribution of the severity of loss due to the occurrence of a postulated event (i.e., Scenario).




 Risk, in this context, is defined as the potential loss or damage of a system, society or community in a given period of time (t), determined probabilistically as a function of hazard (H), exposure (E) and vulnerability (V). This definition can be summarized in the following equation:


R = f(t, H, E, V).

- RDH combines the exposure assessed individually for different return periods – into an <u>Expected Annual Exposure (EAE)</u> or Expected Exposure for various other temporal intervals (2yrs, 5yrs, 10yrs, 15yrs and 25yrs).
- RDH combines the <u>Expected exposure with Vulnerability</u> indicators values (which acts like ratio values 0-1) arriving to potential impact and its probability (risk).
- The potential impacts values are further normalised (0-10) and presented on the map viewer.
- **Multihazard:** A multi-hazard selection on the map portal will trigger a running code which will combine the single hazard exposures (EAE) to a multi-hazard exposure. Further on the multi-hazard values the vulnerability indicators are introduced arriving to the multi-hazard potential impact and probabilities (risk).





Normalized Indicator 0 to 10





Estimated risk for residential buildings in Italy (selected timeframe: 2 years, hazards selected: earthquake, landslide, coastal flood and river flood).



Estimated risk components for residential buildings in Italy (selected timeframe: 2 years, hazards selected: earthquake, landslide, coastal flood and river flood).








Ranking of Italian regions by risk for residential buildings (selected timeframe: 2 years, hazards selected: earthquake, landslide, coastal flood and river flood).

Estimated risk for residential buildings in Italy (selected timeframe: 2 years, hazards selected: earthquake, landslide, coastal flood and river flood).






Very high Unacceptable Disaster Risk High Medium Risk Intensity Managed Disaster Risk Moderate - Medium Risk Acceptable Disaster Risk Low - Low Risk Very low - 18M 10W 1001 nigh NOFY 1014 Likelihood 🔵 River flood 🛑 Earthquake 🔵 Coastal flood 🛑 Landslide

Risk Matrix for residential buildings in Italy (selected timeframe: 2 years, hazards selected: earthquake, landslide, coastal flood and river flood).




Estimated risk for residential buildings in Italy (selected timeframe: 2 years, hazards selected: earthquake, landslide, coastal flood and river flood).

Risk Analysis Module



Estimated risk for residential buildings in Tuscany (selected timeframe: 2 years, hazards selected: earthquake, landslide, coastal flood and river flood).



Risk Analysis: nitty-gritty details!

The input table below shows values for exposure of Commercial built-up taken from the Risk Data Hub for River Floods for different return periods:

Return Period, T (years)	Probability of exceedance, P _⊤	River Floods: Exposed area, E _⊤ (km2)
500	0.002	720
200	0.005	670
100	0.01	628
50	0.02	581
10	0.1	434

For the event with the highest return period, i.e. T = 500 years, we assume that the **exceedance probability (P)** is equal to the **probability of occurrence (p)**. From that number it is possible to calculate all the individual probabilities associated to events with different return periods:

$$P_{T_{500}} = p_{500}$$

$$P_{T_{200}} = 1 - (1 - p_{500})(1 - p_{200})$$
$$p_{200} = \frac{P_{T_{200}} - 1}{(1 - p_{500})} + 1$$

$$P_{T_{100}} = 1 - (1 - p_{500})(1 - p_{200})(1 - p_{100})$$
$$p_{100} = \frac{P_{100} - 1}{(1 - p_{500})(1 - p_{200})} + 1$$



Return Period, T (years)	Probability of exceedance, P _⊤	Probability of occurrence, p_{τ}
500	0.002	0.002
	0.002	0.002
200	0.005	0.003
100	0.01	0.005
50	0.02	0.010
10	0.1	0.082

Using the values calculated for 1 year it is now possible to move on and calculate the probabilities and overall average loss expected for different time periods: 2, 5, 10, 15 and 25 years. The first step is to calculate the probabilities of occurrence for each event over a selected time interval, n years:

> $p_T(n) = 1 - (1 - p_T)^n$ n = 2, 5, 10, 15, 25 [years]T = 500, 200, 100, 50, 10 [years]



Return Period, T (years)	pT(1 year)	pT(2 years)	pT(5 years)	pT(10 years)	pT(15 years)	pT(25 years)
500	0.002	0.004	0.010	0.020	0.030	0.049
200	0.003	0.006	0.015	0.030	0.044	0.073
100	0.005	0.010	0.025	0.049	0.073	0.118
50	0.010	0.020	0.049	0.097	0.141	0.224
10	0.082	0.157	0.348	0.573	0.721	0.881



The overall average expected losses and probabilities of exceedances are then expressed simply by:


 $U_{1} = p_{500,1}E_{500} + p_{200,1}E_{200} + p_{100,1}E_{100} + p_{50,1}E_{50} + p_{10,1}E_{10}$ $P_{T_{10,1}} = 1 - (1 - p_{500,1})(1 - p_{200,1})(1 - p_{100,1})(1 - p_{50,1})(1 - p_{10,1})$

$$U_{2} = p_{500,2}E_{500} + p_{200,2}E_{200} + p_{100,2}E_{100} + p_{50,2}E_{50} + p_{10,2}E_{10}$$
$$P_{T_{10,2}} = 1 - (1 - p_{500,2})(1 - p_{200,2})(1 - p_{100,2})(1 - p_{50,2})(1 - p_{10,2})$$

$$U_{5} = p_{500,5}E_{500} + p_{200,5}E_{200} + p_{100,5}E_{100} + p_{50,5}E_{50} + p_{10,5}E_{10}$$
$$P_{T_{10,5}} = 1 - (1 - p_{500,5})(1 - p_{200,5})(1 - p_{100,5})(1 - p_{50,5})(1 - p_{10,5})$$

	Overall average loss (U)	Probability of exceedance (Ρ _τ)
1 year	47.9	0.10
2 years	92.8	0.19
5 years	212.0	0.41
10	369.9	0.65
years		
15 years	491.7	0.79
25	670.6	0.93
years		





Now we can plot the probability of exceedance against the overall average expected loss for any given time period. Results are plotted in the exposure matrix (probability of exceedance and overall average expected loss).



What else do we offer?





DRMKC **Risk Data Hub** Workshop 2022

EVENT PRESENTATIONS and VIDEOS

AVAILABLE !!



Facts and Figures (beta)

Cross-hazard comparative view of both past and future impacts




User Corner

Restricted area dedicated to authorized user for managing their own data



Losses and Damage Data





BataSource


EFFIS

Select Data Source Institution or Entity Providing the data

V DFO

TimeFrame


Losses and Damage Data






Trends

Past trends and yearly rates of change






Sendai Indicator C-4

Direct economic loss in the housing sector attributed to disasters. Data would be disaggregated according to damaged and destroyed dwellings.

Reference Value for years 2005-2015 (baseline): 0.12417



Metadata

DRMKC > Risk Data Hub

Metadata

Europe

Search

Keyword

Economic

Metadata results (23)

Economic 🛞 losses 🛞 tabular data 🛞 european wide 🛞

V

 \sim

×

SeaTravel_Events_Economic_Losses

Losses

Spatial Extent



Data Type

Tabular Data	
--------------	--

Clear All

The information reported is related to the economic losses (in monetary terms) from SEA TRAVEL (accidents) converted to euro (EUR) corrected for price inflation relative to 2011 The inventoried

(accidents) converted to euro (EUR), corrected for price inflation relative to 2011. The inventoried monetary losses per event are presented at NUTS3 (v2013) regions and expressed in million euro.

EM-DAT: The Emergency Events Database - Université catholique de Louvain (UCL) - CRED, D. Guha-Sapir - <u>www.emdat.be</u>, Brussels, Belgium.

ForestFire_Events_Economic_Losses

The information reported is related to the economic losses from FOREST (WILD) FIRE (in monetary terms) converted to euro (EUR), corrected for price inflation relative to 2011. The inventoried monetary losses per event are presented at NUTS3 (v2013) regions and expressed in million euro.

EM-DAT: The Emergency Events Database - Université catholique de Louvain (UCL) - CRED, D. Guha-Sapir - <u>www.emdat.be</u>, Brussels, Belgium. The European Forest Fire Information System (EFFIS): <u>https://effis.jrc.ec.europa.eu/</u> Wikipedia: <u>https://wikipedia.com</u> Media: Local news related to specific events.

Railway_Events_Economic_Losses

The information reported is related to the economic losses (in monetary terms) from RAILWAY (accidents) converted to euro (EUR), corrected for price inflation relative to 2011. The inventoried monetary losses per event are presented at NUTS3 (v2013) regions and expressed in million euro.

EM-DAT: The Emergency Events Database - Université catholique de Louvain (UCL) - CRED,
D. Guha-Sapir - <u>www.emdat.be</u>, Brussels, Belgium.
Wikipedia: <u>https://en.wikipedia.org/wiki/Main_Page</u>

< Back to Metadata List

2022 - ForestFire_Events_Economic_Losses

assets hazards losses

Abstract

The information reported is related to the economic losses from FOREST (WILD) FIRE (in monetary terms) converted to euro (EUR), corrected for price inflation relative to 2011. The inventoried monetary losses per event are presented at NUTS3 (v2013) regions and expressed in million euro.

Begin date: August 1, 1949 - End date: N/A

Resources

EM-DAT: The Emergency Events Database - Université catholique de Louvain (UCL) -CRED, D. Guha-Sapir - <u>www.emdat.be</u>, Brussels, Belgium. The European Forest Fire Information System (EFFIS): <u>https://effis.jrc.ec.europa.eu/</u> Wikipedia: <u>https://wikipedia.com</u> Media: Local news related to specific events.

Purpose

Assigning fatalities records to forest fire events was possible by matching records on fatalities with the burned areas considering their aggregation to the four seasons of the year. In this way, records on seasonal fatalities and injured people, economic values and total area burned were retrieved. The information sources for the fatalities records are the EFFIS Annual fire Reports, online Media and Wikipedia.

Data quality

Damages in monetary terms converted to euro, correcting for price inflation relative to 2011.

In order to convert reported losses from various currencies and reference years to a single benchmark, information on inflation and currencies were collected. The historical events considered are a compilation of past disasters with information on dates, locations, and losses.

Data Type

tabular data

Spatial Extent

european wide



Learning Space Guidelines, User corner documentation, Methodologies

RDH guidelines

DRMKC > Risk Data Hub

Title	Updated	Data Preparation					
ntroduction	2022-06-01	The data is uploaded on the DRMKC Risk Data Hub (RDH) web application u correspondent excel files. Therefore, data upload on the DRMKC RDH requir actions from the user.					
Primer on the DRMKC RDH	2022-06-01						
		Declaration of the .ir					
General Layout of the Map Viewer	2022-06-01	Preparation of the d	ata in a .xlsx file acco	rding to the templates.			
Data Upload	2022-06-01	Once those two steps are administrative site portal of					
Declaration of .ini file	2022-06-01	link: https://drmkc.jrc.ec.eu			ing		
Preparation of the .xisx templates	2022-06-01	The administrative dashboard (figure below) can contain dedicated sections related to t permissions granted to the user. This tutorial aims to explain the essential functionalitie required to upload the data. Other possible visible options are beyond the scope of this					
Jploading the data	2022-06-01	section and for this reason sections in the Annex 4 of	they are not explain	ed here. Please see the	e description of the		
		information.					
		Risk Data Hub - Administration		16.004 A	NUMERA VIEW RETER CONTINUES TO A DESIGN AND A		
		Distributed Quick links		Perters	0.		
		Response and Charge assess	er uppe	Lagestarrya	# Lot / Charge		
		Administrative	0.7	Lagard Antoniose Lagardia	* Los / Charge		
		Aphrophysics Decision	P ANT / Channel	Tame in a resolution	1 Own		
		Asses	* Ant / Darge	Rate laws	# Add / Charge		
		Administrative Decisions	# Change	Ranne class	# Drang		
		August Provide August A	Winds / Change	Security	0 *		

DRMKC > Risk Data Hub

User Corner documentation

	Prev	1 of 1	Next	
Title				Updated
Introducti	on			2022-06-01
Creation	of a New Us	er Corner		2022-06-03
How to M (MyRegic	anage my o on)	wn RDH Co	rner	2022-06-03
Uploading Corner	g the data o	n the User		2022-06-03
User Cor	ner FAQs			2022-06-06

How to Manage my own RDH Corner (MyRegion)

User: admin of user DRMKC RDH corner (staff user)

These steps can be done by a my_user_admin (staff user) in its personal REGION ADMIN of RDH (My_Region).

Manage the access of other users to MyRegion

The administrator of the My_Region will manage the access of other users to its project/space created on the DRMKC RDH. The other users can create their own credentials (as in point 3.1.1.) or the administrator can create credentials for the other users as in figure

Username = my user user Password = My!User!User

Add User				
First, enter a username and par	ssword. Then, you'll be able	to edit more user op	otions.	
Username:	my_user_user			
	Required 150 characters or	lever. Letters, sligits and	0/./+/-/_only	
Password:				
	Your password must contain			
	Your password must contain	at least 3 among the 4 d		rrs, uppercase letters, numbers and sym
Password confirmation:				
	Enter the same password as	Défore, for vertication.		

Figure 1. Creation of user credentials for the User Corner

The viewer user doesn't have "Staff status" but only "Active" status. So, when this user logins and access the MyRegion application, RDH shows only the specific area of the map with the data associated with the specific region.

Methodology

Annexes References

Prev	1 of 1	Next	
Title			Updated
Introduction			2022-06-01
Hazard			2022-06-01
Exposure			2022-06-01
Vulnerability Fram	nework		2022-06-01
Risk			2022-06-01
Disaster loss data Hub	on the Risk D	ata	2022-06-01
Hazards and Asse Disaster Loss Mo			2022-06-02
Recording of the i	impact of an ev	vent	2022-06-02
Disaster damage terminology	data typology		2022-06-02
Definition of the in DRMKC RDH	npact event in	the	2022-06-02
Loss Data Catalo	a		2022-05-25

	Updated	Forest Fire			
n	2022-06-01	fire, we consider Wildland-U	Jrban Inter	r to find the hazardous poten face area (WUI) (FAO, 2002), a sets and population and prese	s areas where
	2022-06-01			set in order to identify the W	
	2022-06-01			ean level are mapped accord , S. et. al. 2016]: as the space	
ty Framework	2022-06-01	surface (build-up area) and	forest fuel	mass come into contact. Thes nd 3 land cover classes from C	
ty Framework	2022-06-01 2022-06-01	surface (build-up area) and	forest fuel	mass come into contact. Thes	
	2022-06-01	surface (build-up area) and created as the selection fror Table 1.	forest fuel n level 1 ar	mass come into contact. Thes	LC 2006 shown in
		surface (build-up area) and created as the selection fror Table 1.	forest fuel n level 1 ar	mass come into contact. Thes nd 3 land cover classes from C	LC 2006 shown in
	2022-06-01	surface (build-up area) and created as the selection fror Table 1. <i>Table 1. CLC 2006 nomenclat</i> Residential areas	forest fuel n level 1 ar we used to sel Code	mass come into contact. Thes ad 3 land cover classes from C ect classes that represent the residential	LC 2006 shown in areas and fuel areas.
ss data on the Risk Data	2022-06-01	surface (build-up area) and created as the selection fror Table 1. Table 1. CLC 2006 nomenclast	forest fuel n level 1 ar	mass come into contact. These d 3 land cover classes from C ect classes that represent the residential Fuel areas	ILC 2006 shown in areas and fuel areas.
ss data on the Risk Data	2022-06-01	surface (build-up area) and created as the selection fror Table 1. <i>Table 1. CLC 2006 nomenclath</i> Residential areas Continuous urban fabric	forest fuel n level 1 ar we used to sel Code	mass come into contact. Thes d 3 land cover classes from C ect classes that represent the residential Fuel areas Broad-leaved forest	IC 2006 shown in areas and fuel areas.
ss data on the Risk Data	2022-06-01 2022-06-01	surface (build-up area) and created as the selection fror Table 1. <i>Table 1. CLC 2006 nomenclat</i> Residential areas	forest fuel n level 1 ar we used to sel Code	mass come into contact. Thes nd 3 land cover classes from C ect classes that represent the residential Fiel areas Broad-leaved forest Conferous forest	CLC 2006 shown in areas and fuel areas.

2022-06-02

2022-06-01

Hazard

Transitional woodlan The considered buffer distances around the artificial and fuel areas were set as 400 m from fuel mass (woodland) and 200 m from urban space. Finally, to account for WUI areas, a geospatial analysis method is used, depicted in Fig.1, which maps the intersecting artificial surfaces and the fuel surface buffer zones.


Selection CLC 2006 Nomenclature	Union in two main layer	Buffer	Erase feature	Overlay
	Annes I	200m		
Step_1		3	4 .	
9	9	97	AN AN	5

A living guide for training and learning!



User's Corner

• A call for collaboration!





Users' Corner

European Commission > JRC > JRC Publications Repository > Disaster Risk Management Knowledge Centre- Risk Data Hub Users' Corner Guide

Disaster Risk Management Knowledge Centre- Risk Data Hub Users' Corner Guide

echnical reports

Abstract: The Risk Data Hub (RDH) is a GIS web application developed by the Disaster Risk Management Knowledge Centre). It hosts, curates and disseminates data, tools and methodologies for Disaster Risk Management (DRM). Among its key functionalities, it offers an open-source methodology for risk assessment as well as an authoritative loss and damage database that can provide indication of what has been lost at European level because of disaster events in Europe.

To reflect the different needs of users, as well as to embody each of the RDH goals, the platform is now composed of six main modules

This report is centered on the User Corner: it serves as a solution for accessing, storing and managing disaster risk data. The external user, once granted access rights can upload and manage its own disaster risk data including hazard, exposure data or disaster loss and damage data. This data portal is conceived as an container to be populated according to the data structure of DRMKC RDH portal with its two main components: the Risk Analysis and the Disaster Loss data Modules. For the external users (e.g. projects consortia, national, local and European institutions or authorities or any other user) the DRMKC RDH is offering the possibility of storing, curating and sharing disaster risk data with various levels of accessibility and data governance at various geographical scales. This report presents the steps needed and assistance to manage and upload data through the User Corner of the DRMKC RDH.

Authors: ANTOFIE Tiberiu-Eugen; SALARI Sandro; CORBANE Christina; SALVI Andrea; SIBILIA Andrea; RODOMONTI Davide: EKI UND Lars Gustav

Citation: Antofie, T., Salari, S., Corbane, C., Salvi, A., Sibilia, A., Rodomonti, D. and Eklund, L.G., Disaster Risk Management Knowledge Centre- Risk Data Hub Users' Corner Guide, EUR 31187 EN, Publications Office of the European Union, Luxembourg, 2022, ISBN 978-92-76-55835-4, doi:10.2760/481359, JRC129773.

DRMKC RDH User Corner Guide:

https://publications.jrc.ec.europa.eu/repository/handle/JRC 129773

isk Data Hub - Administration

Dashboard Quick links Security 🕇 Add 🥜 Change Access rules Return to site Change password Log out Users 🕂 Add 🥜 Change Administrative • Changelog 🕂 Add 🥜 Change Hazards 🕇 Add 🥜 Change Releases 🕇 Add 🥜 Change Assets Methodology Administrative Divisions 🥜 Change 🕂 Add 🥜 Change Regions 🕂 Add 🥜 Change Project abstracts 🕂 Add 🥜 Change Partner 🕂 Add 🥜 Change Metrics Partners 🕂 Add 🥜 Change Point of contacts 🕂 Add 🥜 Change Administration Sendai targets 🕇 Add 🥜 Change Authentication and Authorization Assessment Data • Groups 🕂 Add 🥜 Change 🕂 Add 🥜 Change Damage types Sites Damage Assessments 🕂 Add 🥜 Change Sites 🕂 Add 🥜 Change Assessment metadatas 🕂 Add 🥜 Change Other Applications Data providers 🕂 Add 🥜 Change Factsheet datasets 🕂 Add 🥜 Change Advanced_Filters Risk data values 🕂 Add 🥜 Change Advanced Filter Styles Partners 🕂 Add 🥜 Change Inventory Eav attributes BANCA D'ESPANA 🕂 Add 🥜 Change Attribute sets PARTNER | DRM | NATIONAL 🕂 Add 🥜 Change Administrative data Risk Data Hub (RDH) provides the building exposure and advice on methodologies. 🕂 Add 🥜 Change Administrative data values The aim is to implement the Bank Exposure risk assessment project with the ECB. Events

BANCA D'ITALIA

PARTNER | CCA | NATIONAL

Asset items

Risk Data Hub (RDH) provides information covering climate-related weather events in Italy at the most disaggregated level. Data is used to address the Climate gap protection.

BRITISH GEOLOGICAL SURVEY

PARTNER | DRM | NATIONAL

The Risk Data Hub shares methodologies and advice related to the multi-hazard assessment.

The collaboration allows to share knowledge on the multi-hazard assessment topic



⊙ ▼

Θ 🔻

0 **v**

⊙ ▼

(C) 🔻


Θ 🔻


🥜 Change



Facts and Figures

BRMKC Risk Data Hub







		6	Disclaim	ier	
	Data Table				
dministrative Units	Admin Unit	Q	Risk	Exposure	Vulnerabili
rea layer lisk Level	Average		6,58	7,15	4,5
	Bulgaria		9,89	9,61	10,0
8,5-<9,9	Greece		9,76	9,70	8,5
7,1 - < 8,5	Romania		9,30	9.27	7,5
5,7-<7,1	Italy		9,28	9,06	8,1
4,2 - < 5,7	Croatia		8,60	9,24	4,9
2,8-< 4,2	Slovenia		8,52	9.14	4,9
1,4-< 2,8	Cyprus		8,28	9,77	2.1
0,0-<1,4	Malta		7,98	8,22	5,6
	Hungary		7,86	7,70	7,6
	Austria		7,83	8,89	3,4
	Poland		7,75	7,74	6,3
	Belgium		7,49	8,40	3,6
	Germany		7,09	7,45	4,6
	Spain		6,92	6,69	6,4
	Switzerland		6,91	8,87	1,8
	United Kingdom		6,80	6,85	5,3
	Czech Republic		6,55	6,32	6,6

6,44 6,01

Risk Ranking








Slovakia

Netherland





Thank you

DRMKC | https://drmkc.jrc.ec.europa.eu/

Risk Data Hub | https://drmkc.jrc.ec.europa.eu/risk-data-hub/

JRC-risk-data-hub@ec.europa.eu JRC-risk-data-hub@ec.europa.eu Tiberiu-Eugen.antofie@ec.europa.eu

